






# Lecture Room Technical Specifications

<b>Congress name</b>		<b>Heart Failure 2017</b>
<b>Room Name</b>		<b>Renoir + ( Room Maillot)</b>
<b>Capacity</b>		380 seats arranged in theatre style
<b>For Chairpersons</b> 	Stage size	W: 11 D: 3,4 metres
	Table Dimension	W: 1,45 D: 0,55 H: 0,745 metres
	Standard setup	2 tables + 4 chairs
	Microphones	4 wired
	Video monitor	1 screen 40" in front of table
	Camera	n/a
<b>For Speaker</b>	Stage size	Same as Chairpersons
	Lectern Dimension	W: 0,595 H: 1,105 metres
	Microphones	2 wired goose neck
	Computer	1 laptop networked with SSC
	Camera	n/a
<b>Main screen (16:9)</b>		1 screen 6,58 x 3,70 metres
<b>Projector</b>		Christie HD 14K-M 12000 ANSI lumens
<b>PinP</b>		n/a
<b>Audience</b>	Microphones	4 wireless for Q&A
<b>External monitor for room programme and overflow</b>		1 screen 50" approx. Overflow capacity: 30 pax.

## Lecture room plan:

-  Screen location
-  Selected entrance(s)
-  External screen for overflow / information
-  Q&A Microphone location

