








# MECHANICAL SPECIFICATIONS FOR ADVERTISEMENTS

#### **FINAL PROGRAMME**

Document size Width (w) 150 mm x Height (h) 210 mm











#### 1/ Colour information

Colours: 4 colour Print (full colour) - No pantone colour

#### 2/ File Format

PDF File in High Resolution (Press Quality, Optimal..) with embedded all font. OR

Macintosh Electronic file using only the following Software:

- Indesign CS3 (No pantone colour)
- Illustrator CS3 (No pantone colour),
- Photoshop CS3 (all files 300 DPI and CMYK)
- Font folders are necessary or all fonts used in your document must be outlined.

#### 3/ File (or folder) Name

NameCompany\_PageNumber\_DocumentName\_CongressName for a folder and/or NameCompany\_PageNumber\_DocumentName\_CongressName.pdf for a pdf file. Example

Folder: Merrigan\_BkCover\_FP\_HeartFailure
pdf file: Merrigan\_BkCover\_FP\_HeartFailure.pdf
Name Company (or laboratory) = Merrigan
PageNumber\* = BkCover (Back Cover) => information given by ESC
Document = FP (Final Programme)
Congress = HeartFailure
\*Abbreviations for cover
Back cover = BkCover
Inside cover = InCover

#### 4/ Supplying Materials

By email if the pdf file (or compressed folder (.zip)) size don't exceed 6Mo. (Please note, folders must be compressed)

Address mail: sponsorship@escardio.org









# **EXAMPLE OF LAYOUT**

## Respect from mechanical specifications

Ready to move?...

Duly at at pracetrul delow worken adopt nulputpet lone delorithm nulput from total in fooddate blam wolverdrawt, at adopts a strategier of the consender wor ode useful refundation of the consender work of the consender wore

any text inside

## No respect from mechanical specifications

