

Exhibitor
Street/P.O.Box
Country, Town, Postcode

Event	
Date	
Hall Stand no.	Open-air grounds Block
Contact	
Phone with area code and ext.	Fax with area code and ext.
E-mail	

We hereby order subject to the water connection and supply terms detailed overleaf:

Item no.	Quantity	Main water connection including connection of one appliance	EUR/unit
38100		Main water connection, hall area (ground level)	273.50
38101		Main water connection, upper level (two-storey stand)	303.50
38200		Main water connection, open-air area F3 – F8	311.00
Main water connection includes: Inflow: 1/2", outflow: DN 50 Installation of corridor piping Water consumption (flat rate of EUR 33.00 at time of printing) Connection of one appliance, e.g. (rental) sink			

Item no.	Quantity	Misc. services	EUR/unit
38050		Connection of each additional appliance e.g. dishwasher, water boiler, etc. Please note: Price is only valid for appliances that will be placed no further than 1 m from the main connection.	42.15
38051		Rental sink unit Sink unit with substructure, taps and fittings, 5 l electric boiler Dimensions: W/H/D = 90/80/60 cm	115.25
38090	---	Standard hourly rate	42.90
38005		Basin fill (up to 3 m³)	71.70
38002 38090		Basin fill _____ 3 m³ (invoiced according to work required/hourly rate)	



38051 Rental sink unit
(Similar model shown)

Please note:

The use of commercial dishwashers with a rinse cycle of two minutes or less and the preparation or demonstration of products containing grease and/or oil requires the use of grease traps for the wastewater being discharged (see "Water connection and supply terms" overleaf).

Contact us for an individual quote on special installations, such as those requiring larger main connection fittings.

A surcharge (item no. 38951) amounting to EUR 85.00 will be raised for any late orders submitted once the general stand assembly period has commenced. Moreover, MMG reserves the right to charge a supplement on the above prices for orders submitted after the closing date.

We will be erecting a raised platform at our stand:

- Yes, the height difference between hall floor level and platform surface will be approx. _____ cm
- No

Place, date
Company stamp and legally binding signature of exhibitor

Please make sure to submit connection plans indicating pavilion, stand rear wall or other reference points (see form 5.2).
Incomplete documents cannot be processed.

p.t.o.

ESC CONGRESS 2004

Munich, 28 August - 1 September



EUROPEAN SOCIETY OF CARDIOLOGY

Water connection and supply terms

A. Ordering main water connection

Orders and scaled ground plan diagrams for the main water connection (form 5.2) must be received by Messe München GmbH no later than six weeks prior to the official dates indicated for the stand assembly period.

Messe München GmbH cannot guarantee the timely installation of connections requested after this deadline.

A surcharge (item no. 38951) amounting to EUR 85.00 will be raised for any late orders submitted once the general stand assembly period has commenced. Moreover, MMG reserves the right to charge a supplement on the above prices for orders submitted after the closing date.

B. Water connection information

All water utilities are provided on a rental basis only. Installation and connection of appliances to the pipeline network is carried out exclusively by MMG contractors.

Any repair work necessary to installations, appliances or exhibits not set up by or rented from MMG will be invoiced at the standard hourly rate (see item no. 38090).

Property damage arising from negligence will be the responsibility of the exhibitor. For safety reasons, all water supply lines in the exhibition halls will be shut off one hour after the end of the event on the given day, with the exception of public toilets.

MMG accepts no liability for damage.

- The general water pressure is 3.5 bar.
- A flat rate will be charged for water consumption, which includes the basic charges.
- Water that is chemically contaminated may not be disposed of in the sewage system.

Required plan documentation

Supply and outflow lines will be installed in the exhibition halls according to dimensions submitted on the ground plan diagram (Form 5.2). The diagram must indicate the distance between the edge of your stand and the connection and the stand's relative location within the hall. **Orders not containing this information cannot be processed!**

Main water connection in the halls

Piping will be installed to the greatest extent possible in utility conduits; however, if necessitated by the location of the connection point as ordered, they may also be installed above ground.

Main water connection in the open-air areas

For open-air areas F3 – F8, piping for all orders will be installed in corridors. Due to the risk of frost, water connections are generally not available for the open-air areas during the winter months; however, pipe heating can be installed at the exhibitor's expense upon arrangement with Messe München GmbH.

Connection of appliances

Connection of one appliance (e.g. a sink unit) is included in the main water connection price. The connection of each additional appliance (installation/dismantling of portable kitchenettes, sinks, water heaters, dishwashers, coffee machines, etc. provided by the exhibitor) will be invoiced separately. If the distance between the appliance to be connected and the main water connection exceeds 1 m, the extra expense for installing the connection of the appliance will be invoiced additionally.

The connection of a free-standing appliance (e.g. a counter) requires a separate main water connection.

For **rental sink units** (item no. 38051), delivery, maintenance and collection are included in the price. However, connection of the sink unit is not included in the rental price.

C. Grease traps

Exhibitors ordering the installation of a main water connection for their stand from MMG who also plan to prepare, process or present food items containing grease or oil are obliged to additionally order a grease trap through MMG no later than four weeks before the start of stand assembly. This also applies to exhibitors operating commercial dishwashers at their stand which finish an entire cycle in under two minutes.

Grease trap order forms may be obtained through the Technical Exhibition Services Division.

If, after stand assembly has begun, MMG ascertains that an exhibitor has failed to order a grease trap for a main water connection despite being obliged to do so according to these connection and supply conditions, the exhibitor hereby agrees that MMG will install the appropriate grease trap equipment at current prices valid for that event without MMG having received an order to this effect from the exhibitor.

In this case, or in the event that an order is placed less than four weeks before the start of stand assembly, MMG is entitled to invoice a late-order surcharge for the required grease trap equal to 50 percent of the price in effect at the time of the event, unless the exhibitor can prove that MMG has suffered no loss or negligible loss as a result.

If installation of a main water connection and grease trap is either not feasible, or only possible at excessively high cost, MMG may require that the exhibitor neither produce, process or demonstrate any goods containing grease or oil at their stand nor operate a commercial dishwasher that completes an entire cycle in **two minutes or less**.

D. Cancellation/complaints

Orders may be withdrawn up to 14 days before the general stand installation period begins; the exhibitor will be charged for the connections ordered in cases of cancellations submitted after this deadline.

The list of tolerances and dimensions provided to the exhibitor or ordering party should be reviewed, countersigned and returned as soon as possible.

This list will also be used subsequently for invoicing purposes.

Complaints pertaining to the scope of supply and services provided must be addressed to the Technical Exhibition Services Division at Messe München GmbH prior to stand dismantling in order to permit the opportunity for an appropriate assessment. Subsequent complaints regarding the scope of products or services will not be acknowledged.

The "General Terms of Contract" for the Exhibitors' Service Booklet shall apply additionally.